


maruthisan

For booking Call Now

For new dealer and distributor

Apply Now +91 6363760043

+91 6366761916



maruthisan



Mauthisan Pvt Ltd

Sy.No.14, Bugadihalli, Sompura
(H), Narasipura (P)
Bangalore Rural-562111.
E-mail: maruthisan4@gmail.com
Website: www.maruthisan.in



Maruthison Pvt Ltd

Vehicle Code	Truck Name
Vehicle type	BOX
Length × Width × Height (mm)	3700x 1480x 2050
Wheelbase(mm)	2500
FRONT/RearWheeldistance(mm)	FRONT 1165/REAR 1205
Cargo pay load (kg)	500
FRONT/REARWIDTH(MM)	Rearview mirror spread width 1735/rearview mirror fold width 1480/rear width1450
APPROACH/DEPARTUREANGLE	48/30
GVW(kg)	1450
Minimum turning radius (m)	5.5
Minimum ground clearance(mm)	130
Brake type	Front disc rear hub
Tire specifications	155R13C(LT)
Motor type	Permanent Magnet synchronous motor
Cooling method	Air-cooled
Maximum power (Kw)	20
Maximum torque (Nm)	112
Maximum speed (km/h)	75
Maximum grade (%)	20
Full Range (km)	260/130
Battery type	LFP
Energy consumption (Wh/km)	82.3
Rated capacity (Ah)	150/200/300AH
Nominal voltage (V)	72
Battery pack weight (kg)	200±10/110±10
Battery capacity (Kwh)	11.5/14.4/23.04
Battery pack energy density (Wh/kg)	135.5/104.72
On-board charger (Kw)	3.3/2.2
Charging mode	AC slow charge
Charging distance in 1 hour (km)	20



Maruthisan Pvt Ltd

Chargingtime20 -80%(h)	4
Charging time0-100%(h)	7
Body structure	Load-bearingbody
Front suspension type	McPerson in dependent suspension
Rearsuspension type	Leaf Spring Integral Bridge is not independent suspension
Drive mode(Se t headrestadjustablēup anddown	Rear drive
Transmission	Fixed ratio10 : 1
Front combination light source	LED
Day time traffic light source	LED
Wipers	Intermittent front wiper
Door Lock opening and closing mode	Interior central lock
Type of remote control key	Plug-in remote control key
Anti-lock braking system	ABS
Power steering type	Electric
Type of seat belt	Three-point
Central control screen size (In)	9
Number of USB ports	1
Door and window lifting mode	Electric
Heating and cooling air conditioner	Optional
Seat cover	Imitation leather
Seat adjustment	2-way adjustment
Sun visor	Flip
Brake Energy Recovery System	Low-speed pedestrian reminder function
The main driver is not wearing a seatbelt sound and light alarm	Door multi-purpose storage box)
Cargo length (mm)	outside : 2200 Inside : 2100
Cargo width (mm)	outside : 1480 Inside :1415
Cargo height (mm)	outside : 1755 Inside :1655
Cargo volume (m ³)	4.0









← →

60 80 100 120

20 40

0

READY

km/h

Low

↑

N

79 V

77%

ODO 00019 km

⚠

⚙

LO
INT
OFF

A/C HEAT

⚡

ENGINE START STOP

IR N DI







